

Page 1

Changed chart(s) since Disc 03-2011

ADD = Added chart, REV = Revised chart, DEL = Deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

No revision activity since Disc 03-2011

LSPL (Langenthal)

General Info

Langenthal, CHE
 N 47° 11.0' E 07° 44.5' Mag Var: 0.0°W
 Elevation: 1575'

Public, VFR, No Customs
 Pattern Altitude: 925 feet AGL
 Repairs: Major Airframe, Major Engine

Time Zone Info: GMT+1:00 uses DST

Runway Info

Runway 05-23 1919' x 59' asphalt
 Runway 05R-23L 1099' x 66' grass

Runway 05 (52.0°M) TDZE 1575'
 Runway 05R (52.0°M) TDZE 1575'
 Runway 23 (232.0°M) TDZE 1575'
 Displaced Threshold Distance 361'
 Runway 23L (232.0°M) TDZE 1575'

Communications Info

Langenthal Aerodrome Information **119.4** AFIS Non-English

Notebook Info

JEPPesen

10 AUG 07

19-1

LANGENTHAL

LANGENTHAL

SWITZERLAND

LSPL

Elev **1575'** / 480 m

N47 11.0


E007 44.5

2.7 NM SW Langenthal

(AFIS)

LANGENTHAL FLUGPLATZ **119.40** (ge)

RWY	ILS	RWY	ILS



Forest: © WorldSat International Inc., 2002
www.worldsat.ca All Rights Reserved.
© 2001 AND Data Solutions B.V.
© 2001 AND Data Ireland Limited.

CHANGES: Highest OBST.

© JEPPESEN SANDERSON, INC., 2007. ALL RIGHTS RESERVED.
BOTTLANG AIRFIELD MANUAL ®

LANGENTHAL

LANGENTHAL

SWITZERLAND



19-2 10 AUG 07

JEPPESEN



(FIS)

ZÜRICH INFORMATION **124.70**



RWY No	Dimension (m) - Surface	TORA (m)	LDA (m)	Strength	Lights
05	585 x 18 Asphalt	475	525	MPW 5.7t/ 0.5 MPa	—
23		585	475		
05R	335 x 20 Grass	335	335	0.25 MPa	—
23L					

Radio contact 5 MIN prior ETA. MNM altitude for AD overflight 3000'.
Visiting ACFT: MAX 6 LDGs/traffic pattern per day. After first LDG pay attention to possible notices at ARO.
At least a half AD circuit must be flown prior to LDG.
Sun/Hol: no TKOF between 0900 and 1030LT.
AD circuits, aerobatics and PJE in close vicinity of AD are prohibited: before 0800LT (Sun/Hol before 1030LT), between 1200 and 1330LT, after 1900LT.
Pay attention to glider flying and PJE.
Avoid built-up areas near AD.
Simultaneous operations on both RWYs prohibited. Simultaneous use of grass RWY and TWY prohibited.

Funkkontakt 5 MIN vor ETA. Überfliegen des Platzes nicht unter 3000'.
Auswärtige ACFT: MAX 6 LDGs/Platzrunden pro Tag. Nach erster LDG mögliche Mitteilungen am ARO beachten.
Vor LDG ist mindestens eine halbe Platzrunde zu fliegen.
Sun/Hol: kein TKOF zwischen 0900 und 1030LT.
Platzrundenflüge, Kunstflug und PJE im Platzbereich sind untersagt: vor 0800LT (Sun/Hol vor 1030LT); zwischen 1200 und 1330 LT; nach 1900LT.
Auf Segelflieger und PJE achten.
Wohngebiete in AD-Nähe meiden.
Simultanbetrieb auf beiden RWYs verboten. Simultanbetrieb auf Gras-RWY und TWY verboten.

Contact radio 5 MIN avant ETA. Altitude MNM de survol de l'AD 3000'.
ACFT de l'extérieur: MAX 6 LDGs/circuits par jour. Après le premier LDG faire attention aux notification possibles à ARO. Avant LDG voler au moins un demi circuit de l'AD.
Sun/Hol: pas de TKOF entre 0900 et 1030LT.
Vols dans le circuit, voltige et PJE de l'AD sont interdits: avant 0800LT (Sun/Hol: avant 1030LT), entre 1200 et 1330LT, après 1900LT.
Faire attention à l'activité planeurs et aux PJE.
Eviter les zones habitées dans le secteur de l'AD.
Utilisation simultanée de deux pistes interdite. Utilisation simultanée de piste non revêtue et TWY interdite.